

## COSHH Risk Assessment

### Clover Chemicals - Easy Toilet Cleaner

Date of assessment	13/8/25
Site	Spotless Client Sites - Commercial and Domestic
Assessor	PH
Substance name	Easy Toilet Cleaner
Quantity normally stored	1-6 x 750ml bottle  <i>Important: Make sure that if it is decanted into another container, that the other container is suitable for use and is correctly labelled.</i>
Task/Use	Cleaning toilet pans
Copy of the MSDS provided?	Yes
Is there a significant risk from the substance?	Yes
If Yes, what is the level of risk before control measures?	Medium
What are the significant risks?	
None. EUH208: Contains: Hexyl Cinnamal. May produce an allergic reaction.	
P101: If medical advice is needed, have product container or label at hand. P102: Keep out of reach of children. P103: Read label before use. P273: Avoid release to the environment.	
Can the substance be eliminated or replaced with a safer alternative?	No
If the substance cannot be replaced, is there a safe method for using it?	Yes
If <b>YES</b> , please explain how the substance must be used safely. Make sure you have controls for all of the risks identified above.	
<ul style="list-style-type: none"> <li>•Gloves and goggles to be worn when dispensing and applying</li> <li>•Gloves to be worn at all times during cleaning to prevent skin irritation</li> <li>•Always wash hands thoroughly after handling/cleaning, even if gloves have been worn</li> <li>•Wear masks in poorly ventilated areas or confined spaces</li> </ul>	
<i>Remember: personal protective equipment (PPE) should be the last control method as it is the most likely to fail.</i>	
Are there any foreseeable situations where or when the substance should not be used?	No
If <b>Yes</b> , state where or when the substance should not be used?	

Where is the substance to be stored?	On company vehicle or COSHH cupboard at office or Client COSHH cupboard
How should the substance be stored?	<ul style="list-style-type: none"> <li>•Out of the reach of children or pets</li> <li>•Chemical must be stored safely, low level for boxes of multiple bottles and always in the upright position with lid securely in place</li> <li>•Must be stored at room temperature, do not allow to freeze</li> <li>•Do not eat, smoke or drink when using the product</li> </ul>
Are there any control measures required for dealing with spillages?	No
<p>Are there any specific first aid measures that need to be identified from the MSDS?  <i>e.g. if there is a need to irrigate the eyes for 15 minutes, is there a need to provide equipment so that it is possible to run water for that length of time?</i></p>	
<p><b>First Aid Measures</b></p> <p>Inhalation: Treat symptomatically</p> <p>Skin Contact: Treat symptomatically</p> <p>Eye Contact: Treat symptomatically</p> <p>Ingestion: Treat symptomatically</p>	
<p><b>Most Important Symptoms and Effects, Both Acute and Delayed</b></p> <p>None anticipated, treat symptomatically</p>	
<p><b>Indication of any immediate medical attention and special treatment needed</b></p> <p>Unlikely to be required but if necessary treat symptomatically</p>	
<p>Identify any other issues if appropriate.</p>	
<p>Have you identified anything in this risk assessment that may need to be linked to other risk assessments?  <i>e.g. flammable substances linked to fire risk assessment, mutagenic properties with the potential to cause damage to a foetus linked to pregnant worker risk assessments, irritants that may affect a person with medical issues, etc.</i></p>	
No	
If <b>Yes</b> , specify the issues that are needed to inform other risk assessments:	
What has the level of risk been reduced to by implementing the previous controls?	
Low	
Risk assessment review date	10/08/23